General

Additional Table Read voices

The virtual table read function under **Document > Table Read** uses the voices installed on your system for its built-in speech functionality. (These are different on Windows, Mac, and Linux — Fade In keeps track of what voices are selected on which operating system.)

The method for installing additional voices depends on what operating system you're using.

Windows

You can install additional text-to-speech languages under Windows Settings. Click **Start** then select **Settings**, then type "voices" in Settings search. It will show you the settings page for managing installed voices.

Install a new Text-to-Speech language in Windows

Mac

You can install additional languages by opening **System Preferences** from the Apple menu. The actual location of speech settings changes slightly between macOS versions. In macOS 11 (Big Sur) it can be found under **Accessibility > Spoken Content**. From the **"System Voice"** dropdown, select **Customize** to access the list of available/downloadable voices.

Change the voice your Mac uses to speak text

Linux

Fade In currently uses the espeak-ng speech synthesis package.

espeak-ng - Voice and Language Files

espeak-ng - MBROLA Voices

Unique solution ID: #1158
Author: Fade In Administrator
Last update: 2021-03-22 20:57

© 2026 GCC Productions Inc. <support@fadeinpro.com> | 2026-10-30 18:35
URL: https://www.fadeinpro.com/kb/content/0cat=1/159/en/additional-table-read-voices.html